



LUMINEXA

**NEW LIGHT OF
NEW INDIA**



www.luminexa.co.in



- Less Energy Consumption
- Zero Maintenance
- Green Technology
- High Lumens Efficiency
- Long Product Life
- Mercury Free
- UV And IR Radiation Free
- High Colour Rendering Index
- LM6 Aluminium Die Casting

Since 2011, **LUMINEXA LIGHTING PRIVATE LIMITED** is the

Leading brand in designing and manufacturing of lighting. Now it is an ISO 9001:2015 certified Company. Our company has gradually expanded covering many generations of light fixtures from regular bulbs, fluorescent tubelights, halogens, metal halides, now in LED luminaires, providing an extensive range of quality fitting in commercial/residential indoor and outdoor lighting at the most effective cost.

Only inspected and improved products tested with testing and measuring equipments in a full fledged laboratory, under high credited technical staff and a team of designers are made available in the market.

Our products are setting the standard of quality and performance and has excellent reputation among leading architects and designers.

BX

LED & Bulbs

Brighter & Durable

Aluminum body
Retro-fit B-22 caps
260 Light beam
110 Lumen



CRI

>80

INPUT

90-320V AC



YEARS

warranty



COLOR

warm-natural-cool



SYSTEM

Lumen>120/W

Product Code	Wattage	Pkg.	MRP
LXLB-0.5W	0.5W	60	₹ 69
LXLB-9W	9W	50	₹ 149
LXLB-12W	12W	50	₹ 199
LXLB-15W	20W	50	₹ 299
LXLB-20W	30W	25	₹ 399
LXLB-40W	40W	12	₹ 599
LXLB-55W	50W	12	₹ 699

SMART LED TUBE

Series

Smart, Sleek & Durable

Direct Mountable on Wall
Anti - glare Diffuser
Now available in Retro-fit also



CRI

>80

INPUT

90-320V AC



YEARS

warranty



COLOR

warm-natural-cool



SYSTEM

Lumen>120/W



Product Code	Wattage	Type	Outer	Pkg.	MRP
LXTL-10W	10W	Batten	570	50	₹ 199
LXTL-20W	20W	Batten	1175	50	₹ 250
LXTL-24W	24W	Batten	1175	20	₹ 399
LXTL-20W Color	20W	Batten	1175	50	₹ 299

COB ROUND

Series

Movable, Durable & Stylish

COB with movable Focus
Aluminium housing for better life
120 lumens per watt at output
Diamond Cut reflector for maximum output



INPUT
90-320V AC



Product Code	Wattage	Outer	Cutout	Pkg.	MRP
LXCR-3W	3W	70x45	60	20	₹ 450
LXCR-6W	6W	95x60	75	20	₹ 750
LXCR-12W	12W	115x65	95	20	₹ 1245
LXCR-20W	20W	145x85	130	20	₹ 1950
LXCR-12W Cob	12W	115x65	95	20	₹ 699
LXCR Cylinder	12W	115x65	95	20	699
LXCR-12W 360°	12W	115x65	95	20	699

6+3 PANEL

LED Light

Easy fit to panel & your Pocket

Wide range for all junction box sizes
Back-lit Downlight with polycarbonate diffuser
115 lumens per watt at output
Made up of up quality of high end finish plastic



INPUT
90-320V AC



Product Code	Wattage	Type	Outer	Pkg.	MRP
LXCL	6W	3+3W	PANEL	50	₹ 299
LXCL	12W	6+6W	PANEL	50	₹ 499
LXCL	18W	12+6W	PANEL	50	₹ 699
LXPL NEXXA 4"	12W	12W	PANEL	50	₹ 299

DEEP, CONCEALED, PANEL

SURFACE, SPOT LIGHT

Junction Beautiful & Durable

Ultra Panel Slim body to fit any thickness of fall Ceiling

Edge-lit with Anti -Glare Polycarbonate Diffuser

110 Lumens per watt at output

Aluminum Housing for extra life

3W



INPUT
90-320V AC



COLOR
warm-natural-cool



SYSTEM
Lumen>120/W

Product Code	Wattage	Outer	Cutout	Pkg.	MRP
LXPL Cool White Color	3W		Junction	100	₹ 250
LXPL 3 in One Color	3W		Junction	100	₹ 299
LXSD-4W	4W		120x120x40	50	₹ 525
LXSD-8W	8W		180x180x40	50	₹ 625
LXSD-15W	15W		220x220x40	50	₹ 925
LXCPL PC Body	4W		283	60	₹ 299
LXCPL PC Body	8W		570	60	₹ 499
LXCPL PC Body	15W		1196	60	₹ 699
LXDL	6W		92Xx50	60	₹ 199
LXDL	7W		92Xx50	60	₹ 299
LXDL All Color	6W		92Xx50	60	₹ 299
LXSP All Color	1W			50	₹ 199
LXODL All Color	5W			50	₹ 199

TRACK

Light

Movable Focus, Durable & Beautiful

Extruded aluminium merged with plastic to achieve ultimate finish


3600 Rotation and product movability

120 Lumens per watt at output

Fits in all kinds of track available



INPUT
90-320V AC



COLOR
warm-natural-cool



SYSTEM
Lumen>120/W

Product Code	Wattage	Pkg.	MRP
LXTK	10W	12	₹1500
LXTK	20W	12	₹2550
LXTK	12W	12	₹3300
LXTK	WALL 30W	12	₹2699
LXTK	TRACK 30W	12	₹2699



TRACK LIGHT

WALL LIGHT

FLOOD

Light

Brighter, Stronger & Durable

Heavy Aluminium Die Cast

120 Lumens per watt at output

Power factor >0.9

SMD LEDs used for better life & extra spread



SLIM LANCE



GLASS SMD



CRI

>80

INPUT
90-320V AC2 YEARS
warrantyCOLOR
warm-natural-coolSYSTEM
Lumen>120/W

Product Code	Wattage	Outer	Pkg.	MRP
LXFD	15W	130X110	5	₹1500
LXFD	20W	175X155	5	₹1875
LXFD	30W	192X172	5	₹2600
LXFD	50W	253X202	5	₹3400
LXFD	80W	288X250	5	₹6300
LXFD	100W	288X250	5	₹7800

STREET

Light

Strong & Durable

Heavy Aluminium Die Cast body

120 Lumens per watt at output

Power factor >0.9

SMD LEDs used for better life & extra spread



CRI

>80

INPUT
90-320V AC2 YEARS
warrantyCOLOR
warm-natural-coolSYSTEM
Lumen>120/W

Product Code	Wattage	Outer	Weight	Pkg.	Pipe Size (mm)	MRP
LXST	15W	345x95x60	0.87kg	20	30-40	₹1500
LXST	20W	345x95x60	1.1kg	20	30-40	₹1875
LXST	30W	345x95x60	0.82kg	20	30-40	₹2600
LXST	45W	400x148x60	0.82kg	20	30-40	₹3400
LXST	60W	330x185x80	1.5kg	20	30-40	₹4800
LXST	80W	440x208x70	2.6kg	20	45-51	₹6300
LXST	100W	450x268x70	2.6kg	10	45-51	₹7800

EMERGENCY

Light

**INVERTER
LED LIGHT**
 UPTO
4 HRS BACKUP

Product Description
 Voltage
 Lumen
 Rated Current
 CRI
 Charging Time
 Operating Temp.

INVERTER LED 9W
 230V AC, 50Hz
 900lm*
 0.045A
 ≥80
 8.10 Hours
 (-10°C to + 50°C)



INPUT
90-320V AC



Product Code	Wattage	Pkg.	MRP
LXI-018-7W	7W	50	₹ 499
LXI-018-9W	9W	50	₹ 599
LXI-018-12W	12W	50	₹ 699

BEAM & BALL

Light

Strong & Durable

Heavy Aluminium Die Cast body
 120 Lumens per watt at output
 Power factor >0.9
 SMD LEDs used for better life & extra spread



INPUT
90-320V AC



Product Code	Wattage	Pkg.	MRP
LXB BEAM	2WAY	50	₹ 699
LXB	4WAY	50	₹ 899
LXB	6WAY	50	₹ 1299
LXB BALL	2WAY	50	₹ 699
LXB	4WAY	50	₹ 999
LXB	5WAY	50	₹ 1299
LXB Half K	1WAY	50	₹ 599
LXB K Light	2WAY	50	₹ 799

ELECTRIC KETTLE

SPECIFICATIONS

Capacity : 2.0 Liter
Cordless Kettle
Stainless Steel Heating Element
Thermostat Control Protection
Automatic/Mannual Shut off
Pilot Light Indicator
Rated Frequency : 50 Hz
Rated Voltage : 230v 1500W



2L



1.8L



Multi Kettle
2L



Concealed Element



Automatic Cutoff



360 Degree Swivel Base



TOLL FREE Service

ROOM HEATER IMMERSION ROD

SPECIFICATIONS

- Portable With handle
- Wide Angle Oscillation
- Safety Tip-Over Switch
- Safety mesh Grill



1000/1500/2000 Watt



TOLL FREE Service



1500W Portable
Geyser




3 Rod Movable
Heater



2 Rod Heater



Rapid Fan Heater



Immersion Rod
Water Proof

CEILING FAN 48"



100% Copper
Winding



Power
Saver



Anti Dust



Hi-Speed
400 RPM



Service

Technical Specifications

- Precisely balanced aerodynamically designed blades
- Suitable for low voltage operation
- Aluminum die cast motor & GP blades
- Power : 50 W



FLORA 48"



SENO PRIME 48"



UDAAN 48"



UDAAN 36"



LITTLE LEHAR

Product Code	Wattage	RPM	MRP
UDAAN 48"	50	400	₹ 1699
FLORA 48"	50	400	₹ 1999
SENO PRIME 48"	50	400	₹ 2499
UDAAN 36"	50	650	₹ 1699
LITTLE LEHAR	50	800	1699



WHITE

GOLDEN
BROWN

SMOKE
BROWN

BROWN

BLUE




BULLET FAN

SIZE: 16"
SWEEP : 400mm
RPM : 2300



JOSH FARRATA

SIZE: 18"
SWEEP : 500mm
RPM : 1350



AP FAN

SIZE: 12"
RPM : 800



**FRESH AIR
HI-SPEED**

SIZE: 6"/9"/12"
RPM : 2300



VENTO FAN

SIZE: 6"/9"/12"
RPM : 2300

Product Code	RPM	MRP
AP FAN 12"	800	₹ 1399
FRESH AIR 9"	2300	₹ 1399
VENTO FAN	2300	₹ 1399
JOSH FARRATA	1350	₹ 2199
BULLET FAN	2300	1999

AIR COOLER

 **AIR THROW:** 24-36 feet

 **AIR SPEED:** 20-30 kmph

IDEAL FOR:



Bedroom



Hotel Room



Office Space



Kids Room



Model : LX Century
110 Ltr.



Powerful Airflow



Model : LX CARNIVAL
75 Ltr.



Large Honey Comb Pads



Model : LX Air Flow
65 Ltr.



Inbuilt Tank Water Drainage Outlet



Model : LX Cool
35 Ltr.



4 Wheel For Easy Mobility



Switch Operator

ELECTRIC IRON

SPECIFICATIONS

Voltage (V)	AC220-240V
Frequency (Hz)	50Hz
Rated Power	1000W
Plate	Non Stick Coating Solo Plate
Power indicator	Yes
Multiple Temperature Control	Yes
Auto Cut	Yes

IRONING AT ITS BEST



MODEL: SILK ROUTE



RAPID-I-164
1000W



CRYSTA-I-184
1000W



REBELLA PLANCHA HEAVY WEIGHT
1000W

MIXER GRINDER

SPECIFICATIONS

Voltage (V)	: 230-240v /AC/ 50Hz
Power	: 600W
Motor	: Universal Heavy Duty
Speed	: 3 Speed with Incher
RPM	: 18000 (at no load)
Blades	: high Quality Stainless Steel
Jars	: Stainless Steel
Basic Unit Housing	: High Quality ABS



CROWN

- 500 W
- 2 Jar



AURO

- 600 W
- 3 Jar



KIA

- Metallic Color
- 800 W
- 3 Jar



MAX

- Metallic Color
- 1100 W
- 3 Jar

INFRARED COOKER

Product Specifications

Number of Plates :	1 Plate
Power (Watt) :	2200W
Voltage :	220V
Control :	Sensor Touch
Mode Name/Number :	I-33
Usage :	hotel/Corporate Kitchen/Domestic
Type :	Electric Hot Plate
Preset Menu :	Digital
Surface Type :	Plain Surface
Body Material :	Stainless Steel
Warranty :	1 Year
Size :	410x300x62mm
Color :	Black
Diameter of Heating Area	200 mm

INDUCTION COOKER


Product Specifications

Number of Plates :	1 Plate
Power (Watt) :	2100W
Voltage :	220V
Control :	Sensor Touch
Suitable for :	Buffet Warming + Domestic Cooking
Type :	Electric Magnitic
Preset Menu :	Digital
Surface Type :	Plain Surface
Tempreture Setting	80c - 270c
Body Material :	ABS
Warranty :	1 Year
Color :	Black



INDUCTION

- Touch Panel
- Button Panel
- Digital Display
- Copper Coated Coil



INFRARED

- High Grade
- Polish Glass



INFRARED

- High Grade
- Matt Glass





LUMINEXA

Mktd. by :
LUMINEXA LIGHTING PRIVATE LIMITED
DLF. 40, industrial area, Kirti nagar
New Delhi-15 (INDIA)

Mfg. By :
Main Mathura Road, Near Crown Interiorz mall
Faridabad (Haryana) INDIA-121003
E-mail : CUSTOMERCARE@LUMINEXA.CO.IN
www.luminexa.co.in


LUMINEXA
--- Toll Free No. ---
18001024541



CE Conformance Européenne



ISO 9001:2008



Bureau Of Indian Standards



एक कदम स्वच्छता की ओर



Authorised Dealer/Distributor